




**STONE
SYSTEM**


TABS Stone System

Designer Thin Stone

- Limestone & Cast Stone
- G-90 Galvanized
- 26 Gauge (.018) Thickness
- Mortar Tie System
- Full 25 Year Warranty



TABS Wall Systems is pleased to offer architects, owners & developers the highest quality Structural Steel Support Panel System for Thin Veneer Limestone and Cast Stone.





**TABS Stone
System Specifications
on Reverse Side**

4515 Airwest Drive, SE
Grand Rapids, MI 49512
Phone: 616.554.5400
Fax: 616.554.5487

tabswall@sbcglobal.net
www.tabswallsystems.com




Head Flashing with Jack Arch, Surrounds, Sill, & Banding Installation Detail



Note: Prior to installing arch be sure to install code approved building wrap & flashing tape over head flashing per window manufacturer's recommendation.

Note: "x" & "y" to be determined by Width & Height of Sill and/or Banding



KEYSTONES

STYLE	PRODUCT	A	B	C	D	E
Flat	KEY71FS	3-1/4"	6-3/8"	7-5/8"	1-1/4"	-
	KEY81FS	4"	8"	10-1/4"	1-1/4"	-
Recessed	KEY71RS	3-1/2"	7"	7-5/8"	1-1/4"	1/2"
	KEY81RS	4"	8"	10-1/4"	1-1/4"	1/2"
Chamfered	KEY71CS	3-1/2"	7"	7-5/8"	1-1/4"	1/2"
	KEY81CS	4"	8"	10-1/4"	1-1/4"	1/2"
Batwing	KEY71BS	3-5/8"	7"	10-1/4"	1-1/4"	1"
	KEY81BS	4-5/8"	8-1/2"	11-5/8"	1-1/4"	1"

JACK ARCHES - STRAIGHT OUTSIDE EDGE


Style	Right	Left	Length	C	D	E
Flat	JAS61FR	JAS61FL	31-5/8"	7-5/8"	1-1/4"	-
	JAS71FR	JAS71FL	31-5/8"	10-1/4"	1-1/4"	-
Chamfered	JAS61CR	JAS61CL	31-5/8"	7-5/8"	1-1/4"	3/4"
	JAS71CR	JAS71CL	31-5/8"	10-1/4"	1-1/4"	3/4"
Recessed	JAS61RR	JAS61RL	31-5/8"	7-5/8"	1-1/4"	1/2"
	JAS71RR	JAS71RL	31-5/8"	10-1/4"	1-1/4"	1/2"

JACK ARCHES - FLARED OUTSIDE EDGE

Style	Right	Left	Length	Flare	C	D	E
Flat	JAR61FR	JAR61FL	31-5/8"	1"	7-5/8"	1-1/4"	-
	JAR71FR	JAR71FL	31-5/8"	1-5/16"	10-1/4"	1-1/4"	-
Chamfered	JAR61CR	JAR61CL	31-5/8"	1"	7-5/8"	1-1/4"	3/4"
	JAR71CR	JAR71CL	31-5/8"	1-5/16"	10-1/4"	1-1/4"	3/4"
Recessed	JAR61RR	JAR61RL	31-5/8"	1"	7-5/8"	1-1/4"	1/2"
	JAR71RR	JAR71RL	31-5/8"	1-5/16"	10-1/4"	1-1/4"	1/2"

WINDOW SILLS 31 5/8" LONG

Style	Straight	Right Corner	Left Corner	A	B	C	D
Chamfer	SIL22CS2	SIL22CR2	SIL22CL2	1"	1-1/2"	4-7/8"	-
	SIL51LS2	SIL51LR2	SIL51LL2	1-1/4"	4-1/2"	5-5/8"	-
Lincoln	SIL51VS2	SIL51VR2	SIL51VL2	1-1/4"	4-1/8"	5-5/8"	3"
	SIL51GS2	SIL51GR2	SIL51GL2	1-1/4"	4-3/8"	5-5/8"	2-3/4"
Georgia	SIL51CS2	SIL51CR2	SIL51CL2	1-1/4"	4-1/4"	4-7/8"	-
	SIL51MS2	SIL51MR2	SIL51ML2	1-1/4"	4-3/4"	4-7/8"	3-1/4"



BANDING - 31 5/8" LONG

Style	Straight	Right Corner	Left	A	B	C
Classic	BAN61LS	BAN61LR	BAN61LL	1-1/4"	2"	7-5/8"
	BAN61MS	BAN61MR	BAN61ML	1-1/4"	1-7/8"	7-5/8"
Julian	Straight			A	B	C
	BAN61NS	BAN61NX	BAN61NX	1-1/4"	3/4"	7-5/8"
Austin	BAN61AS	BAN61AX	BAN61AX	1-1/4"	2"	7-5/8"
	BAN61ES	BAN61EX	BAN61EX	1-1/4"	2"	7-5/8"
Diamond	BAN61FS	BAN61FX	BAN61FX	1-1/4"	-	7-5/8"
	BAN61PS	BAN61PX	BAN61PX	1-1/4"	2"	7-5/8"


SURROUNDS - 31 5/8" LONG

Style	Straight	Right Corner	Left Corner	A	B	C
Diana	SUR21US2	SUR21UR2	SUR21UL2	1-1/4"	1-1/4"	7-5/8"
	SUR31US2	SUR31UR2	SUR31UL2	2"	1 1/4"	7-5/8"
Alexander	SUR21ES2	SUR21ER2	SUR21EL2	1-1/4"	1-1/2"	7-5/8"
	SUR31ES2	SUR31ER2	SUR31EL2	2"	1 1/2"	7-5/8"
Stanford	SUR21BS2	SUR21BR2	SUR21BL2	1-1/4"	3/4"	7-5/8"
	SUR31BS2	SUR31BR2	SUR31BL2	2 1/4"	3/4"	7-5/8"
Helena	SUR21HS2	SUR21HR2	SUR21HL2	1 1/4"	2 3/8"	7-5/8"
	SUR31HS2	SUR31HR2	SUR31HL2	1 7/8"	2 3/8"	7-5/8"
Mandalay	SUR21MS2	SUR21MR2	SUR21ML2	1-1/4"	1-3/4"	7-5/8"
	SUR31MS2	SUR31MR2	SUR31ML2	2"	1 3/4"	7-5/8"
Lexington	SUR21XS2	SUR21XR2	SUR21XL2	1-1/4"	1 1/2"	7-5/8"
	SUR31XS2	SUR31XR2	SUR31XL2	2"	1 1/2"	7-5/8"



TABS Wall Systems started manufacturing its original TABS Panel System in 1986 and offers the most versatile and highest quality structural support panel system in the industry today. Along with some of the industry's highest quality manufacturers & fabricators of Thin Masonry Veneers, TABS can now offer architects, owners and developers the industry's first Structural Steel Support Panel Systems for manufactured & natural stone veneers.

This System Includes: TABS II Limestone or Cast Stone up to 1 1/4" thick, TABS II Heavy Duty Panel, Mechanical Mortar Tie System, Moisture Control, "Optional" TABS Rain Screen, TABS Structural Silicone Adhesive with Primer, and Arch/Sill/Banding brackets for stone veneers beyond 1-1/4" thickness.



TYPICAL WALL DETAIL With Optional Rain Screen

<u>Product Description</u>	<u>TABS II</u>	<u>TABS II Plus</u>
Intended Use	Heavy Duty	Heavy Duty
Quality of Steel	Structural Grade	Structural Grade
Nominal Panel Thickness	.018 / 26 Gauge	.018 / 26 Gauge
Corrosion Protection	G90 Hot Dipped	G90 Hot Dipped
Panel Coating	Thermal Set	Thermal Set
Embossed Steel Panel	Included	Included
Moisture Control	Included	Included
Patented TABS II Tie System	Included	Included
Mortar Mix	Type "S"	Type "S"
Mortar Additive	TABS II	TABS II
Structural Silicone w/ Primer	TABS II	TABS II
Fasteners	TABS II Non-Corrosive	TABS II Non-Corrosive
Warranty	Full 25 Year	Full 25 Year